



Precast concrete kit

The CKIT allows you to create an acoustic space in vaults or concrete structures. The 'smart' solution for acoustically unfriendly surroundings. This kit is installed before you cast the concrete and guarantees a smooth sound in any concrete structure. The CKIT is always packed per unit.





CKIT250

composition	ABS + mineral fibre panel
dimensions (Ø)	280 x 110mm
max. cut-out	250 mm

Acoustic kit

These kits, made from water-repellent MDF are always packed per unit. These are easy to install and acoustic-absorbent. The kits helps eliminate annoying resonations which may occur at the rear of the loudspeaker when you install it in a wall or ceiling.



	KITR01	KITR04	KITR03
composition	moistureproof MDF	moistureproof MDF	moistureproof MDF
inner dim. (Ø)	160mm	180mm	210mm
dim. (h x w x d)	230 x 230 x 98mm	270 x 270 x 98 mm	280 x 280 x 120 mm
suitable for	R02040 / FL401	HPR0525 / FL550 / FL501 / MDC501 / FL501BT / FL501T / FL502BT SINGLE / FL502BT SET / HPR0550	R02060 / HPR0650 / FL620 MDC620





	KITSQ4	KITSQ3
composition	moistureproof MDF	moistureproof MDF
inner dim. (h x w)	145 x 145mm	210 x 210mm
dim. (h x w x d)	236 x 236 x 98mm	280 x 280 x 120mm
suitable for	FL101 / FL101BT / FL101T / HPS0525 SQ2040 /	SQ2060



	KITRE1	KITRE2	KITRE3	KITRE4
composition	moistureproof MDF	moistureproof MDF	moistureproof MDF	moistureproof MDF
inner dim. (h x b)	195 x 125mm	245 x 160mm	275 x 190mm	335 x 230mm
dim. (h x w x d)	265 x 195 x 98mm	315 x 230 x 98mm	345 x 260 x 110mm	405 x 300 x 120mm
suitable for	RE2040	HPRE650 / FL301	RE2060	RE2080

Flush Mount Kit

This kit ensures that the Intiimi loudspeaker's design grill is exactly level with the surface of your ceiling. In other words, by staying flush with the surface, they blend in with each other without being conspicuous. The flush mount kits were designed with the idea for easy installation and unobtrusiveness. Available for all Intiimi models.



	FLKIT R02040	FLKIT R02060	FLKIT SQ2040	FLKIT SQ2060
material	composite	composite	composite	composite
inner dim. (h x w)	177,3mm	237,3mm	167,5 x 167,5mm	237,5 x 237,5mm
dim. (h x w x d)	280 x 280 x 14mm	350 x 350 x 14mm	280 x 280 x 14mm	350 x 350 x 14mm
suitable for	R02040	R02060	SQ2040	SQ2060



	FLKIT RE2040	FLKIT RE2060	FLKIT RE2080
material	composite	composite	composite
inner dim. (h x w)	221,5 x 150,5mm	296,5 x 206,7mm	369,1 x 261,1mm
dim. (h x w x d)	330 x 260 x 14mm	409 x 319 x 14mm	482 x 374 x 14mm
suitable for	RE2040	RE2060	RE2080