


■ Front & Rear Panels




●All specifications and drawings are subject to change without notice. ●Blu-ray Disc and Blu-ray is a trademarks of Blu-ray Disc Association. ●Please do not use the supplied AC adapter and power supply cable for other products. ●The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries. ●PJLink is a trademark in Japan, the United States, and other countries/regions. ●HDBaseT™ and the HDBaseT Alliance Logo are trademarks of the HDBaseT Alliance. ●The terms Anti-snow and Connection Reset are registered trademarks of IDK Corporation in Japan. ●All other company and product names mentioned in this document are either registered trademarks or trademarks of their respective owners. In this document, the “®” or “™” marks may not be specified.




4K@60, HDCP 2.2 HDMI distribution amplifier (with audio embedder) VAC-4000UHD Diagram and Features

■ Diagram



* Maximum cable distance
1080p@60: up to 131 ft. (40 m), 4K@60: up to 39 ft. (12 m) (when IDK's 18 Gbps supported cable was used)

■ Application Example



* Maximum cable distance
1080p@60: up to 131 ft. (40 m), 4K@60: up to 39 ft. (12 m) (when IDK's 18 Gbps supported cable was used)

[Features]

■ Video

- Up to 4K@60 (4:4:4)
- HDCP 1.4 / 2.2
- HDR
- 3D
- x.v.Color
- Maximum input/output cable distance:
 - 1080p@60: up to 131 ft. (40 m)
 - 4K@60: up to 39 ft. (12 m) (using 18 Gbps supported High-Speed HDMI cable)
- Cascade connection
- Anti-snow

■ Audio

- Analog audio de-embedded

■ Others

- EDID emulation
- DDC buffering
- Seven-segment LED signal status check
- Connection reset
- CEC pass through between IN and OUT1

● All specifications and drawings are subject to change without notice. ● Blu-ray Disc and Blu-ray is a trademarks of Blu-ray Disc Association. ● Please do not use the supplied AC adapter and power supply cable for other products. ● The terms HDMI and HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc. in the United States and other countries. ● PJLink is a trademark in Japan, the United States, and other countries/regions. ● HDBaseT™ and the HDBaseT Alliance Logo are trademarks of the HDBaseT Alliance. ● The terms Anti-snow and Connection Reset are registered trademarks of IDK Corporation in Japan. ● All other company and product names mentioned in this document are either registered trademarks or trademarks of their respective owners. In this document, the "®" or "™" marks may not be specified.